




Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com
 Mob:+86-18955590514

sales@rizhenmachinery.com
 Tel:+86-05552451558

Model	Geometry	Max Burden	Angle	Radius mm	Height mm	Length mm
 <p>AH22110 H=120</p>	Straight	80 T/m	85°	0.6	120	805mm sectioned
						415mm complete
 <p>AH22105 H=120</p>	Goose neck	100T/m	85°	0.6	120	805mm sectioned
						415mm complete
 <p>AH22118 H=120</p>	Goose neck	50 T/m	85°	0.8	120	805mm sectioned
						415 mm complete
	Straight sharp	100 T/m	26°	0.6	120	805mm sectioned


Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com




sales@rizhenmachinery.com

Mob:+86-18955590514

Tel:+86-05552451558

						415 mm complete
--	--	--	--	--	--	-----------------

High precision sockets (bottom tools), European type

Model	Openings	Max Burden	Angle	Height mm	Length mm
<p>80.V6.85 85° or 90°</p>  <p>AH22212</p>	6mm	100T/m	85°	120mm	805mm sectioned 415 mm complete
<p>80.V8.85 85° or 90°</p>  <p>AH22213</p>	8 mm	100T/m	85°	120mm	805mm sectioned 415 mm complete
<p>80.V10.85 85° or 90°</p>  <p>AH22214</p>	10 mm	100T/m	85°	120mm	805mm sectioned 415 mm complete




Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com

sales@rizhenmachinery.com

Mob:+86-18955590514

Tel:+86-05552451558

<p>80.V12.85 85° or 90°</p>  <p>AH22215</p>	12mm	100T/m	85°	120 mm	805mm sectioned
<p>80.V16.85 85° or 90°</p>  <p>AH22216</p>	16mm	100T/m	85°	120mm	805mm sectioned
<p>80.V20.85 85° or 90°</p>  <p>AH22217</p>	20mm	100T/m	85°	120 mm	805mm sectioned
<p>80.V25.85 85° or 90°</p>	25 mm	100T/m	85°	80mm	805mm sectioned





Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com

sales@rizhenmachinery.com

Mob:+86-18955590514

Tel:+86-05552451558

 <p>AH22218</p>					415 mm complete
<p>60.V32.85 85° or 90°</p> 	32 mm	100T/m	85°	60mm	805mm sectioned
<p>60.V40.85 85° or 90°</p> 	40 mm	100T/m	85°	60mm	805mm sectioned
<p>60.V50.85 85° or 90°</p> 	50 mm	100T/m	85°	60mm	805mm sectioned
					415 mm complete




Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com

sales@rizhenmachinery.com

Mob:+86-18955590514

Tel:+86-05552451558

<p>75.V63.85 85° a 90°</p> 	63mm	100T/m	85°	75mm	805mm sectioned
					415 mm complete
<p>80. V6.30 30°</p> 	6mm	35T/m	30°	120 mm	805mm sectioned
					415 mm complete
<p>80.V8.30 30°</p> 	8mm	35T/m	30°	120mm	805mm sectioned
					415 mm complete
<p>80.V10.30 30°</p>	10 mm	50T/m	30°	120 mm	805mm sectioned





Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com

sales@rizhenmachinery.com

Mob:+86-18955590514

Tel:+86-05552451558

 <p>AH22228</p>					415 mm complete
<p>80.V12.30</p> <p>30°</p>  <p>AH22229</p>	12 mm	40T/m	30°	80 mm	805mm sectioned 415 mm complete
<p>80.V16.30</p>  <p>AH22230</p>	16 mm	45T/m	30°	80mm	805mm sectioned 415 mm complete
<p>80.V20.30</p>  <p>AH22231</p>	20 mm	50T/m	30°	80mm	805mm sectioned 415 mm complete




Maanshan Rizhen Machinery Technology



www.rizhenmachinery.com

sales@rizhenmachinery.com


Mob:+86-18955590514

Tel:+86-05552451558

<p>80.V25.30</p>  <p>AH22232</p>	<p>25mm</p>	<p>50T/m</p>	<p>30°</p>	<p>120mm</p>	<p>805mm sectioned</p>
 <p>AH22351+AH22451</p>	<p>6mm</p>	<p>50T/m</p>	<p>30°</p>		<p>805mm complete</p>
 <p>AH22351+AH22451</p>	<p>8mm</p>	<p>50T/m</p>			<p>805mm complete</p>
		<p>80T/m</p>			

	10mm	50T/m			805mm complete
		80T/m			
	12 mm	50T/m			805mm complete

805mm sectioned



805mm = 100 left + 10 + 15 + 20 + 40 + 50 + 200 + 270 + 100 right

415mm complete

Maanshan Rizhen Machinery Technology

www.rizhenmachinery.com

Mob:+86-18955590514

sales@rizhenmachinery.com

Tel:+86-05552451558

